One Way Cassette

- Exclusive Compact Size 50.3"(W) 13.19"(D) 9"(H)
- Fit-in Size for the Common and the I-joist Space
- 2-way Installation
- Elevation Panel
- Easy-to-access Core Component

Standard Features

ECO · Turbo · Sleep Mode · Timer · Follow me · Self clean · 46 °F heating · LED

Humidity · 1%~100% Fan Speed Setting · Breeze Away · Child Lock · °C and °F Change · Silent Mode · Horizontal Swing · Gear

Optional Features

Wired Control · Wi-fi Control · Vertical Swing

OUTSTANDING FEATURES

One Way Cassette

Designed for Standard Construction

Fits common joist space and I-Joist spaces.





2 Way Installation

HangUp Installation

Our hangers with optimized anti-cutting design are easy to grab and lift up, preventing hands from scratching by the sharp edge.

PushIn Installation

An unique & exclusive PushIn Case is designed for easy installation options. Installers can plug in the IN-cassette unit between the joist and fix it on the beams with screws.

Double Row Tack Holes Design adapt to various joist size



Elevation Panel

From now on, no more climbing up & down, because the panel itself can be up & down. By activating the Elevation Panel function on remote controller (or smart controller), the panel will go straight down to you for easily taking out the air filter.

One Way Cassette

Model	Indoor Unit		MCBU-09HRFN1-MU0	MCBU-12HRFN1-MW	MCBU-18HRFN1-MW
	Outdoor Unit		MOX330-09HFN1-MY5W	MOX330-12HFN1-MW5W	MOX430-17HFN1-MT0W
Performance					
Power Supply		V, Ph, Hz	208/230V,1Ph，60Hz	208/230V,1Ph，60Hz	208/230V,1Ph，60Hz
SEER2 (AHRI 210/240 - 2023)	Cooling /Heating Capacity	Btu/h	9000/10900	12000/12500	16700/20000
	SEER2	Btu/W	24	23	19.80
	EER2	Btu/W	13	13	12.5
	HSPF4	Btu/W	12.4	10	11.2
Heating at 5°F(-15°C)	Rated capacity	Btu/h	10400	11000	18000
	COP	W/W	1.8	1.8	1.8
Indoor unit					
Air Flow Volume	H/M/L	CFM	294/258/235	311/282/247	351/300/207
Noise Level	H/M/L	dB(A)	37.5/35.5/31	38.5/37/32.5	44/40.5/35
Net Dimension	WxDxH	mm	1278x335x228	1278x335x228	1278x335x228
	WxDxH	inch	50.31x13.19x8.98	50.31x13.19x8.98	50.31x13.19x8.98
Packing Dimension	WxDxH	mm	1330x335x570	1330x335x570	1330x335x570
	WxDxH	inch	52.37x13.19x22.44	52.37x13.19x22.44	52.37x13.19x22.44
Net/Gross Weight		kg	20.5/37.6	20.5/37.6	20.5/37.6
		lbs	45.19/82.89	45.19/82.89	45.19/82.89
Panel(Up-Down Option)					
Net Dimension	WxDxH	mm	1360x475x99	1360x475x99	1360x475x99
	WxDxH	inch	53.54x18.71x3.9	53.54x18.71x3.9	53.54x18.71x3.9
Packing Dimension	WxDxH	mm	1435x541x165	1435x541x165	1435x541x165
	WxDxH	inch	56.5x21.3x6.6	56.5x21.3x6.6	56.5x21.3x6.6
Net/Gross Weight		kg	6.5/10.3	6.5/10.3	6.5/10.3
		lbs	14.33/22.71	14.33/22.71	14.33/22.71

c UL us LISTED

AHRI CERTIFIED® www.ahridirectory.org

Eco-Air