



WALL MOUNT, UNDER CABINET, BUILD-IN RANGE HOODS



According to the National Institutes of Health, exposure to cooking-related contaminants is associated with a significant increase in pulmonary effects and symptoms of respiratory diseases. Our range hoods are designed to reduce cooking grease and odors to keep the air clean.

Wall Mount Range Hoods

WM860A30/ B36



- Full body with seamless stainless steel. Product Dimension: 30L"x 19W"x 46H" (For Model No. WM860A30) 36L"x 19W"x 46H" (For Model No. WM860B36)
- 330W Motor with high airflow up to 860 CFM, 3 speed setting
- Included grease container, uses 6-inch round duct for exhaust vent, two 50W halogen lamps
- Featured baffle filters (dishwasher safe), which are easy to remove and clean
- Soft touch display screen with clock, auto delay shut-off function and filter indication

Material	Burshed Stainless Steel 430 Face Panel
Width	30 Inch / 36Inch
Voltage & Frequency	120V,60Hz
Motor	1*330W
Fan Speed	3
Switch Control	Touch Control, Timer Delay, Filter Indication
Remote Control	Yes
Type of Light & Power	2 x 50W GU10 Halogen Lamp
Filter	Buffle Filter
Dimension of Outlet Adapter	6" Round
Airflow	860 CFM
Top and Bottom Chimney	Yes
Aluminium Duct	Optional



Reliable Products.
Expert Service
since 2003.

Tel: 604-4308496 Fax: 1-866-9034371
Address: Unit 111 42 Fawcett Road, Coquitlam V3K 6X9
www.northamericanhvac.com



Under Cabinet Range Hoods



UC650A30



UC300B30



UC700C30/ D30

- Full body with seamless stainless steel. Product Dimension:
30L" x 22W"x 7H" (For Model No. UC650A30)
29.8L"x 19.8W"x 5.5H" (For Model No. UC300B30)
29.8L"x 22.9W"x 8.25H" (For Model No. UC700C30/ D30)
- Soft touch display screen with clock, auto delay shut-off function and filter indication (Excluding Model No. UC300B30)
- To use auto-clean function by simply filling in the liquid cleaner and pressing the function key and it will be completed within a minute (For Model No. UC700D30 Only)

Introducing the Auto-clean Function (For Model No. UC700D30 Only)

- Best-rated by consumers, it is economical, durable, powerful suction with multiple functions, ultra quiet performance.
- To use auto-clean function by simply filling in the liquid cleaner and pressing the function key, the high-speed spinning blower blades then distribute the cleaner onto the internal housing of the hood, degreasing and flushing unwanted residues into an easy-to-clean residue cup.
- The process will be completed within a minute, no additional cleaning is needed. No.1 choice to make your kitchen clean and quiet!


Model No.	UC650A30	UC300B30	UC700C30/ D30
Material	Burshed Stainless Steel 430 Face Panel		
Width	30 Inch		
Voltage & Frequency	110-120V/60Hz		
Fan Speed	6	3	6
Switch Control	Push Button (For Model No. UC300B30 Only)		
	Touch Control, Timer Delay, Filter Indication (For other models)		
Remote Control	No	No	Yes
Type of Light & Power	2 x 50W GU10 Halogen Lamp		
Filter	2 x Baffle Filter	2 x 5 Layers Aluminum Filter Cassette	Oil Cup
Dimension of Outlet Adapter	Vertical/Horizontal Rectangular 3 1/4" x10" Vertical Vent Option 7" Round		6" Round
Airflow	650 CFM	300 CFM	700 CFM






Product Dimensions


WM860A30 (Wall Mount)




WM860B36 (Wall Mount)




WM860A30 (Wall Mount)




WM860B36 (Wall Mount)




UC700C30/D30 (Under Cabinet)



BI480A20 (Build-In)



BI860B30 (Build-In)



BI860C36 (Build-In)

